

RWC (UK) Ltd Declaration: RoHS Directives

Herewith, we declare that the RWC products listed in the appendix are in conformity with the provisions of the Directive RoHS 2011/65/EU and Delegated Directive (EU) 2015/863

The products listed in Tables 1 and 2 in the Appendix do not currently fall within the scope of the directive listed above.

Nevertheless, the products listed in the Appendix [Table 3], are EU RoHS compliant with no regulated substance exceeding the limit present.

The products listed in the Appendix [Table 2], also comply with statements above, with the following exception as they are manufactured with components in brass as an alloying element with a content >0.1% by weight, where lead is present:

With the following exemptions applicable:

6(c) Copper alloy containing up to 4 % lead by weight

Table 1

<i>Part Number</i>	<i>Description</i>
TUND*	Tundish, Straight Plastic
*EPR	EPDM O-ring
*EPW	Threaded washer
CM18*	Collet Locking Clip
HOSE202106A HOSE202109	Flexible Hose
PKM*	Collet Cover



Table 2

SKU GROUP	DESCRIPTION
ADMT5*	ANTI-VACCUM VALVES & AIR VENTS
ANTI*	ANTI LEGIONELLA VALVES
BVAL*	BALL VALVES
CORE21*	Combined Pressure Relief and Single Check Valve
CWIC*	Inlet control valve – Two piece
FLOW2*	Single check valve
HEAT1*	TMV2 / TMV3 mixing valve
LINS4*	PROTECTO YC LINE STRAINER
MIX8*	Tempering valve
PRED3*	Pressure reducing valve
PREL1*	Pressure relief valve
PTEM*	Pressure and temperature relief valve
SERV9*	Floreg isolating valve and strainer
TREG1*	Thermal Balancing valve
TVAP2*	Combination Valve

This declaration will be updated periodically, as and when required, and is valid without a signature.

Compliance Team

Reliance Worldwide Corporation (UK) Ltd.
8 March 2023



Appendix

Table 3

Part Number	Description	Attributes
HOSE202106A	Flexible Hose	3/4" FBSP, 1000mm
TUND219005	Tundish, Straight Plastic	15mm x 22mm
XVES050056	Potable Water Expansion Vessel	18 Litre, 3.5 Bar

Table 4

Part Number	Description	Attributes
CORE216000	Pressure Relief Valve	6 Bar, 3/4" FBSP inlet, 22mm outlet
CORE216001	Pressure Relief Valve	6 Bar, 3/4" FBSP inlet, 28mm outlet
CWIC351300	High Flow Inlet Control Valve	3.5/6 Bar, 28mm
PRED330006	Pressure Reducing Valve with Take off	3.5Bar, 22mm
PTEM550852	TPR15, Pressure & Temperature Relief Valve, Standard Probe	7 Bar, 1/2" MBSP X 15mm
PTEM550853	TPR15, Pressure & Temperature Relief Valve, Standard Probe	10 Bar, 1/2" MBSP X 15mm
PTEM550870	TPR15, Pressure & Temperature Relief Valve, Short Probe	7 Bar, 1/2" MBSP X 15mm
PTEM550951	TPR15, Pressure & Temperature Relief Valve, Long Probe	7 Bar, 1/2" MBSP X 15mm

